

## Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve	Size	Abbe Value ve	Minimum CT for Surfacing (mm)
Hard Resin	1.498(Nd)	-14.00 to +6.00	0.5	75	58	2.00
			2, 4, 6, 7, 8	80	58	2.00
Transitions®VI & Transitions® XTRActive™	1.497(Nd)	-9.00 to +5.00	0.5, 2.25, 4.25, 5.25, 6.25, 8.25	76	57	1.80
DLC™ (Trivex Material)	1.530 (Nd)	-14.00 to +7.50	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9	75	45	1.20
Polycarbonate Clear, Transitions®VI & Transitions® XTRActive™	1.586 (Nd)	-11.25 to +9.00	0.5, 2, 3, 4, 5.25, 6.25, 7.5, 8.5, 9.5	80	30	1.20
SuperLite™ 1.6	1.597 (Ne)	-11.25 to +9.00	0.5, 2, 3, 4, 5, 6, 7, 8, 9	75	41	1.50
SuperLite™ 1.6 Transitions®VI	1.597 (Ne)	-11.25 to +9.00	0.5, 2, 3, 4, 5, 6, 7, 8, 9	72	41	1.50
SuperLite™ 1.67	1.668 (Ne)	-12.00 to +16.25	0.5, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12.5	75	31	1.50
SuperLite™ 1.67 Transitions®VI & Transitions® XTRActive™	1.668 (Ne)	-12.00 to +16.25	0.5, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12.5	72	31	1.50
SuperLite™ 1.74	1.738 (Ne)	-18.00 to +9.50	0.5, 1, 8, 9	65	32	1.50
			2, 3, 4, 5, 6, 7	72	32	1.50



## Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve	Size	Abbe Value ve	Minimum CT for Surfacing (mm)
*Superlite 1.74 Special	1.738(Ne)	-18.75 to -4.50	0.5, 1	65	32	1.50
*Superlite 1.74 Special	1.738(Ne)	-18.75 to -4.50	2	72	32	1.50

\*Extra Thick Blanks

# Shamir SV for Wrap Around™

## Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve	Size	Add Value vs	Minimum CT for Surfacing (mm)
Hard Resin	1.498(Nd)	-7.00 to +4.25	4, 6, 7, 8	80	58	2.00
Polycarbonate Clear, Transitions®VI & Transitions® XTRActive™	1.586 (Nd)	-9.00 to +8.25	6.25, 7.5, 8.5	80	30	1.20
SuperLite™ 1.6	1.597 (Ne)	-9.00 to +11.25	6, 7, 8	80	41	1.50
			10.5	75		
SuperLite 1.6 Transitions®VI	1.597 (Ne)	-9.00 to +8.25	6, 7, 8	80	41	1.50
SuperLite 1.67	1.668 (Ne)	-10.25 to +12.25	6, 7, 8	80	31	1.50
			10.5	75		
SuperLite 1.67, Transitions®VI & Transitions® XTRActive™	1.668 (Ne)	-10.25 to +9.25	6, 7, 8	77	31	1.50

\*Relevant only for Single Vision Rx lens production



ReCreating Perfect Vision®