

Shamir Spectrum+™

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking	
Hard Resin	1.498	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Clear	14mm, 16mm and 19mm	15 SP+X	250
Transitions®	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	TR SP+X	250
Transitions® XTRActive®	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Gray	14mm, 16mm and 19mm	X5 SP+X	250
Polarized	1.498	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	PZ SP+X	250
Drivewear®	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Drivewear®	14mm, 16mm and 19mm	DW SP+X	250
DLC™ (Trivex)	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Clear	14mm, 16mm and 19mm	TX SP+X	250
DLC™ (Trivex) Transitions®	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	TTX SP+X	250
DLC™ (Trivex) Transitions® XTRActive™	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray	14mm, 16mm and 19mm	TXX SP+X	250
DLC™ (Trivex) Polarized	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	PTX SP+X	250
1.56	1.56	-14.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Clear	14mm, 16mm and 19mm	56 SP+X	250
Polycarbonate	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Clear	14mm, 16mm and 19mm	PC SP+X	250
Polycarbonate Transitions®	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	PT SP+X	250

* The true base curve can be selected from a range of curves that has been defined in the Freeform Software.

Shamir Spectrum+™

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking	
Polycarbonate Transitions® XTRActive™	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray	14mm, 16mm and 19mm	PX SP+X	250
Polycarbonate Polarized	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	PPZ SP+X	250
Polycarbonate Drivewear®	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Drivewear®	14mm, 16mm and 19mm	PW SP+X	250
Superlite™ 1.6	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Clear	14mm, 16mm and 19mm	16 SP+X	250
Superlite™ 1.6 Transitions®	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	T6 SP+X	250
Superlite™ 1.6 Transitions® XTRActive™	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray	14mm, 16mm and 19mm	X6 SP+X	250
Superlite™ 1.6 Polarized	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	PZ6 SP+X	250
Superlite™ 1.67	1.67	-16.75 to +8.00	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 3.50	Clear	14mm, 16mm and 19mm	67 SP+X	250
Superlite™ 1.67 Transitions®	1.67	-16.75 to +8.00	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	T67 SP+X	250
Superlite™ 1.67 Transitions® XTRActive™	1.67	-16.75 to +8.00	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 3.50	Gray	14mm, 16mm and 19mm	X67 SP+X	250
Superlite™ 1.67 Polarized	1.67	-16.75 to +8.00	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	PZ67 SP+X	250
Superlite™ 1.74	1.74	-18.00 to +13.50	0.5, 1.5, 2.5, 3.5, 4.75, 6, 7.25, 8.25, 9, 9.75, 10.5, 11.25, 12	0.75 to 3.50	Clear	14mm, 16mm and 19mm	74 SP+X	250
Superlite™ 1.74 Transitions®	1.74	-18.00 to +13.50	0.5, 1.5, 2.5, 3.5, 4.75, 6, 7.25, 8.25, 9, 9.75, 10.5, 11.25, 12	0.75 to 3.50	Gray & Brown	14mm, 16mm and 19mm	X74 SP+X	250

* The true base curve can be selected from a range of curves that has been defined in the Freeform Software.