

Shamir Attitude III® Sport







Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking
Hard Resin	1.498	-6.50 to +5.25	4, 5, 6, 7, 8	0.75 to 3.50	Clear	18mm	15 ☉ ☉ 250
Transitions®	1.5	-6.50 to +5.25	4, 5, 6, 7, 8	0.75 to 3.50	Gray & Brown	18mm	TR ☉ ☉ 250
Transitions® XTRActive™	1.5	-6.50 to +5.25	4, 5, 6, 7, 8	0.75 to 3.50	Gray	18mm	X5 ☉ ☉ 250
Polarized	1.498	-6.50 to +5.25	4, 5, 6, 7, 8	0.75 to 3.50	Gray & Brown	18mm	PZ ☉ ☉ 250
Drivewear®	1.5	-6.50 to +5.25	4, 5, 6, 7, 8	0.75 to 3.50	Drivewear®	18mm	DW ☉ ☉ 250
DLC™ (Trivex)	1.53	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	18mm	TX ☉ ☉ 250
DLC™ (Trivex) Transitions®	1.53	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	18mm	TTX ☉ ☉ 250
DLC™ (Trivex) Transitions® XTRActive™	1.53	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray	18mm	TXX ☉ ☉ 250
DLC™ (Trivex) Polarized	1.53	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	18mm	PTX ☉ ☉ 250
1.56	1.56	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	18mm	56 ☉ ☉ 250
Polycarbonate	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	18mm	PC ☉ ☉ 250
Polycarbonate Transitions®	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	18mm	PT ☉ ☉ 250

* The true base curve can be selected from a range of curves that has been defined in the Freeform Software.

Shamir Attitude III® Sport

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking
Polycarbonate Transitions® XTRActive™	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray	18mm	PX   250
Polycarbonate Polarized	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	18mm	PPZ   250
Polycarbonate Drivewear®	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Drivewear®	18mm	PW   250
Superlite™ 1.6	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	18mm	16   250
Superlite 1.6 Tribrid™	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	18mm	TB   250
Superlite 1.6 Transitions®	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	18mm	T6   250
Superlite 1.6 Transitions® XTRActive™	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray	18mm	X6   250
Superlite 1.6 Polarized	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	18mm	PZ6   250
Superlite 1.67	1.67	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	18mm	67   250
Superlite 1.67 Transitions®	1.67	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	18mm	T67   250
Superlite 1.67 Transitions® XTRActive™	1.67	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray	18mm	X67   250
Superlite 1.67 Polarized	1.67	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	18mm	PZ67   250

* The true base curve can be selected from a range of curves that has been defined in the Freeform Software.

Shamir Attitude III® Fashion

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking
Hard Resin	1.498	-6.50 to +5.25	4, 5, 6, 7, 8	0.75 to 3.50	Clear	15mm and 18mm	15 ☉ ☹ 250
Transitions®	1.5	-6.50 to +5.25	4, 5, 6, 7, 8	0.75 to 3.50	Gray & Brown	15mm and 18mm	TR ☉ ☹ 250
Transitions® XTRActive™	1.5	-6.50 to +5.25	4, 5, 6, 7, 8	0.75 to 3.50	Gray	15mm and 18mm	X5 ☉ ☹ 250
Polarized	1.498	-6.50 to +5.25	4, 5, 6, 7, 8	0.75 to 3.50	Gray & Brown	15mm and 18mm	PZ ☉ ☹ 250
Drivewear®	1.5	-6.50 to +6.00	4, 5, 6, 7, 8	0.75 to 3.50	Drivewear®	15mm and 18mm	DW ☉ ☹ 250
DLC™ (Trivex)	1.53	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	15mm and 18mm	TX ☉ ☹ 250
DLC™ (Trivex) Transitions®	1.53	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	15mm and 18mm	TTX ☉ ☹ 250
DLC™ (Trivex) Transitions® XTRActive™	1.53	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray	15mm and 18mm	TXX ☉ ☹ 250
DLC™ (Trivex) Polarized	1.53	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	15mm and 18mm	PTX ☉ ☹ 250
1.56	1.56	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	15mm and 18mm	56 ☉ ☹ 250
Polycarbonate	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	15mm and 18mm	PC ☉ ☹ 250
Polycarbonate Transitions®	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	15mm and 18mm	PT ☉ ☹ 250

* The true base curve can be selected from a range of curves that has been defined in the Freeform Software.

Shamir Attitude III® Fashion

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking
Polycarbonate Transitions® XTRActive™	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray	15mm and 18mm	PX   250
Polycarbonate Polarized	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	15mm and 18mm	PPZ   250
Polycarbonate Drivewear®	1.586	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Drivewear®	15mm and 18mm	PW   250
Superlite™ 1.6	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	15mm and 18mm	16   250
Superlite 1.6 Tribrid™	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	15mm and 18mm	TB   250
Superlite 1.6 Transitions®	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	15mm and 18mm	T6   250
Superlite 1.6 Transitions® XTRActive™	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray	15mm and 18mm	X6   250
Superlite 1.6 Polarized	1.6	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	15mm and 18mm	PZ6   250
Superlite 1.67	1.67	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Clear	15mm and 18mm	67   250
Superlite 1.67 Transitions®	1.67	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	15mm and 18mm	T67   250
Superlite 1.67 Transitions® XTRActive™	1.67	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray	15mm and 18mm	X67   250
Superlite 1.67 Polarized	1.67	-6.50 to +6.00	4, 5, 6, 7, 8, 9, 10	0.75 to 3.50	Gray & Brown	15mm and 18mm	PZ67   250

* The true base curve can be selected from a range of curves that has been defined in the Freeform Software.