Shamir Autograph InTouch™ & InTouch™ As Worn

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking	
Hard Resin	1.498	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Clear	16mm and 19mm	15 (S) X/l>>X	S 250
Transitions [®]	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Gray & Brown	15mm and 18mm	TR S IX/I>>X	S 250
Transitions® XTRActive®	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Gray	15mm and 18mm	X5 (S) X/I>>X	S 250
Polarized	1.498	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Gray & Brown	15mm and 18mm	PZ S IX/I>>X	S 250
Drivewear®	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 3.50	Drivewear®	15mm and 18mm	DW S IX/I>>X	S 250
DLC™ (Trivex)	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Clear	15mm and 18mm	TX S IX/I>>X	S 250
DLC™ (Trivex) Transitions®	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	15mm and 18mm	TTX S X/l>>X	S 250
DLC™ (Trivex) Polarized	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	15mm and 18mm	PTX S IX/I>>X	S 250
1.56	1.56	-14.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Clear	15mm and 18mm	56 (S) X/l>>X	S 250
Polycarbonate	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 3.50	Clear	15mm and 18mm	PC S IX/I>>X	S 250
Polycarbonate Transitions®	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 3.50	Gray & Brown	15mm and 18mm	PT S IX/I>>X	S 250
Polycarbonate Transitions® XTRActive™	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 3.50	Gray	15mm and 18mm	PX S IX/I>>X	S 250

^{*} The true base curve can be selected from a range of curves that has been defined in the Freeform Software.



Shamir Autograph InTouch™ & InTouch™ As Worn

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking	
Polycarbonate Polarized	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 3.50	Gray & Brown	15mm and 18mm	PPZ S IX/I>>X	S 250
Polycarbonate Drivewear®	1.586	-14.75 to +6.00	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 3.50	Drivewear®	15mm and 18mm	PW S IX/I>>X	S 250
Superlite [™] 1.6	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Clear	15mm and 18mm	16 S X/I>>X	S 250
Superlite™ 1.6 Transitions®	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	15mm and 18mm	T6 S X/I>>X	S 250
Superlite [™] 1.6 Transitions® XTRActive [™]	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray	15mm and 18mm	X6 S X/I>>X	S 250
Superlite™ 1.6 Polarized	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray & Brown	15mm and 18mm	PZ6 S IX/I>>X	S 250
Superlite™ 1.67	1.67	-16.75 to +8.00	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 3.50	Clear	15mm and 18mm	67 S X/I>>X	S 250
Superlite [™] 1.67 Transitions [®]	1.67	-16.75 to +8.00	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 3.50	Gray & Brown	15mm and 18mm	T67 S X/I>>X	S 250
Superlite [™] 1.67 Transitions [®] XTRActive [™]	1.67	-16.75 to +8.00	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 3.50	Gray	15mm and 18mm	X67 S X/I>>X	S 250
Superlite™ 1.67 Polarized	1.67	-16.75 to +8.00	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 3.50	Gray & Brown	15mm and 18mm	PZ67 S IX/I>>X	S 250
Superlite [™] 1.74	1.74	-18.75 to +15.50	0.5, 1, 1.5, 2.5, 3.5, 4.75, 6, 7.25, 8.25, 9, 9.75, 10.5, 11.25, 12	0.75 to 3.50	Clear	15mm and 18mm	74 S X/I>>X	S 250
Superlite [™] 1.74 Transitions®	1.74	-18.75 to +15.50	0.5, 1.5, 2.5, 3.5, 4.75, 6, 7.25, 8.25, 9, 9.75, 10.5, 11.25, 12	0.75 to 3.50	Gray & Brown	15mm and 18mm	X74 S X/I>>X	S 250

^{*} The true base curve can be selected from a range of curves that has been defined in the Freeform Software.



Shamir Autograph InTouch™ Mineral

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking	
1.6 White	1.6	-10.00 to +6.00	2, 3, 4, 5, 6, 7	0.75 to 3.50	Clear	15mm and 18mm	G16 S IX 250	50
1.6 Photochromic Gray	1.6	-10.00 to +6.00	2, 3, 4, 5, 6, 7	0.75 to 3.50	Gray	15mm and 18mm	GP16 S IX 250	
1.6 Photochromic Brown	1.6	-10.00 to +6.00	2, 3, 4, 5, 6, 7	0.75 to 3.50	Brown	15mm and 18mm	GP16 S S IX 250	

 $^{^{*}}$ The true base curve can be selected from a range of curves that has been defined in the Freeform Software.

